





Package C: Supply of Computer Peripherals and Maintenance for FY 2021-2022

SN	Particulars	Specification	UNIT	B.D Commercial	K.B Enterpris	N.G Enterprise	NGN Technologies	Remarks
1	Laptop	Low End Laptop <ul style="list-style-type: none"> • 5th Generation Intel Core i3- 5005U GHz, 3 MB cache, 2 cores Cache processor • 4 GB DDR3L-1600 SDRAM (1 x 4 GB) Memory • 500GB 5400 rpm SATA Hard Drive • Video graphics: Intel® HD Graphics 5500 • Optical DVR-RW drive • VGA display adaptor • 4-6 USB ports • Integrated HD audio system • Integrated 10/100 BASE-T Ethernet LAN • Wireless connectivity: 802.11b/g/n (1x1) and Bluetooth® 4.0 combo; WiDi • SuperMulti DVD burner; optical drive • Standard keyboard & mouse • Display: 15" diagonal HD SVA BrightView WLED-backlit (1366 x 768) • Genuine Microsoft Windows 10 32/64 bit 	Per Set	33,490/- (Lenovo Vi4)	48000/- (Dell/ Hp/ Lenovo)	37,900/-	NGN Technologies	NGN Technologies specification are unmatched with the specification in SBD.



• Pre-installed MS Word 2012
• Pre-installed Microsoft Security Essentials
• AC-DC adaptor
• Carry case bag
Mid End Laptop
5th Generation INTEL® CORE™ I5-6200U (2.3 GHZ, UP TO 2.8 GHZ, 3 MB CACHE, 2 CORES)
• 4 GB DDR4-2133 SDRAM (1 X 4 GB) Memory
• 750 SATA Hard Drive
• VIDEO GRAPHICS: INTEL® HD GRAPHICS 520
• Optical DVR-RW drive
• VGA display adaptor
• 6-8 USB ports
• Integrated HD audio system
• 1 Gigabit Ethernet Adaptor
• 802.11B/G/N (1X1) AND BLUETOOTH: Wireless connectivity
• Standard board & mouse
• 14" DIAGONAL HD SVA BRIGHTVIEW WLED-BACKLIT (1366 X 768) wide Screen
• AC-DC pow Genuine Microsoft Windows 10 32/64 bit




47,490/- (Lenovo V14)	64,000/- (Del/HP/ Lenovo)	53,250/-	
			

[Handwritten signature]




[Handwritten signature]

<ul style="list-style-type: none">• Pre-installed MS Word 2012• Pre-installed Microsoft Security Essentials• AC-DC adaptor• Carry case bag			
High End Laptop			
<ul style="list-style-type: none">• Intel Skylake Core i7-6560U CPU, dual-core 2.2 GHz(3.2Ghz boost)• 8 GB LPDDR3 1866Mhz• Integrated Intel Iris HD Graphics 540• Wireless AC, Intel Bluetooth 4.1• 256 GB M.2 PCIe NVMe• 13.3 inch, 3200 x 1800 px resolution, Infinity Edge touchscreen, IGZO• 2x USB 3.0, Thunderbolt 3(USB Type-C), mic/earphone combo• Integrated HD audio system• 304mm or 11.98" (w) x 200mm or 7.88" (d) x 17mm or .68" (h)• USB Optical keyboard & mouse• Genuine Microsoft Windows 10 32/64 bit• Pre-installed MS Word 2016• Pre-installed Microsoft Security Essentials• AC-DC power adaptor• Carry Case	63,490/- (Lenovo v14, 14 inch)	198,000/- (Dell/HP/ Lenovo)	84,300/-








2	Desktop All in one	7th Generation Intel Core i3-7100U Processor (3M Cache, 2.40 GHz) 8GB 2400MHz DDR4 up to [16GB], (additional memory sold separately) 1 TB 5400 RPM [SATA] (HDD), Tray load DVD Drive (Reads and Writes to DVD/CD) 23.8-inch FHD (1920 x 1080) True-life LED-Backlit Touch Display with Wide Viewing Angle Intel HD Graphics 620 Number of USB 2.0 Ports: 2 Number of USB 3.0 Ports: 2 Genuine Windows 10 Pro 64-Bit English Pre-installed MS word 2016 Pre-installed microsoft security Essential 1 Year warranty	Per Set	49,490/- (Lenovo Ai024)	86,000/- (Dell/HP/ Lenovo)	39,300/-	
3	Printer	Low end printer • Printing Technology: Laser • Print, Copy, Scan • Standard Memory(MB): 128MB • Copier features: Monochrome Copy Speed (PPM-A4) Up to 20 cpm • Scanner Features: • Scanner Type: Flatbed	Per Set	21490/- (HP LaserJet 130FW)	18299/- (Hp-1136)	19,900/- (Canon MF 3010)	

<ul style="list-style-type: none"> • File Format: Windows & Mac Scan Software supports file format: JPG, RAW (BMP), PDF, TIFF, PNG;
• Standard paper tray
• Media sizes supported: A4
• Duty Cycle(Pages per month): 8000
• USB Port: Yes
• Network Ready: Yes, Standard (built-in Ethernet, WiFi 802.11b/g/n)
• WiFi / Bluetooth Support: Yes, built-in WiFi 802.11b/g/n
• Dimensions (W x D x H): 420 x 365 x 254 mm
• USB cable, Power code, printer driver, software CD with accessories
• Supports OS: Windows 7/8/10 32/64 bits
High end printer
• Duplex printing automatic (standard)
• Memory, standard: 256 MB
• Standard paper tray
• Media sizes supported: A4
• Processor speed: 800 MHz
• Print technology: Laser
• First page out (ready): Black: As fast as 6.4 sec
• Recommended monthly page volume: 250 to 2500


32,390/- (HP LaserJet 227sdn)	18299/- (Hp-202dw)	28,300/- (Canon MF241D)
----------------------------------	-----------------------	----------------------------







		<ul style="list-style-type: none">• Connectivity, standard: 1 Ethernet 10/100Base-TX• Scanner type: ADF, Flatbed• Scan file format: JPG, RAW (BMP), PNG, TIFF, PDF• Copier: Copy speed (normal) Black: Up to 28 cpm 17• maximum: Up to 99 copies• USB cable, Power code, printer driver, software CD with accessories• Supports OS: Windows 7/8/10 32/64 bits				
4	Heavy duty printer	Copier Specification <ul style="list-style-type: none">• Copying process: Laser electrostatic image transfer• Copy/print speed: Up to 22 ppm• Autoduplex• Warm-up time: less than 15 sec• Copy resolution: 600 x 600 dpi• Original format: A5-A3 Printer specification <ul style="list-style-type: none">• Print resolution (dpi): GDL: 600 x 600 dpi• Print functions: n-up; watermark; secure print; image rotation Scanner specification <ul style="list-style-type: none">• Scan resolution (dpi): Max. 600 x 600 dpi• Scan modes: Local TWAIN scan, Scan-to-USB• File formats: PDF, JPEG, TIFF System specification	Per Set	93,490/- (Canon 2206N)	121,000/- (Iconical canon)	33,100/- (Canon MF 244DW)







[Handwritten signature]

[Handwritten signature]

[Handwritten signature]




	<ul style="list-style-type: none"> • System memory standard (MB): 128 MB • Interfaces standard: USB 2.0, 10Base-T/100Base-TX Ethernet • Network protocols: TCP/IP (IPv4; IPv6); HTTP; SNMP • Paper size: A5 – A3, Customized: 90-297 x 140-432 mm • Paper input capacity (sheets): Standard: 350 sheets; max.: 1,350 sheets • Automatic duplexing: Yes • Copy/print volume max. (monthly): 15,000 pages • USB cable, Power code, printer driver, software CD with accessories • Supports OS: Windows 7/8/10 32/64 bits 				
5	Managable switch <ul style="list-style-type: none"> • Interfaces: 24 x 10Base-T/100Base-TX - RJ-45 - PoE; 1 x console - 9 pin D-Sub (DB-9) - management; 4 x 10Base-T/100Base-TX/1000Base-T - RJ-45; 2 x SFP (mini-GBIC) • Device Type: Switch - 24 ports - L3 - managed • Power Over Ethernet : PoE • Cables Included: 1x Serial Cable • Authentication Method: Secure Shell (SSH), RADIUS, TACACS+ • Flash Memory: 16 MB • RAM: 128 MB 	Per Set	78.490 - (Cisco)	NQ	NQ



		<ul style="list-style-type: none"> • Minimum Storage Temperature: -4 F • Status Indicators: Link activity, port transmission speed, system • MAC Address Table Size: 16k entries • Capacity: 4K Active VLANs • Ports: 24 x 10/100 + 2 x combo Gigabit SFP + 2 x 10/100/1000 • Subtype: Gigabit Ethernet • Ports: 24 x 10/100/1000 + 2 x SFP • Status Indicators: Link activity, system • Cabling Type: Ethernet 1000Base-T, Ethernet 100Base-TX, Ethernet 10Base-T • Features: MDI/MDI-X switch, auto-negotiation • Compliant Standards: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x • Ports Qty: 24 • Communication Mode: full-duplex, half-duplex • Type: SFP (mini-GBIC) 						
6	Unmanaged switch	Per Set	19,490/- (D-link)	NQ	NQ			
7	Access point (300Mbps Wireless N)	Per Set	4890/- (Tplink)	NQ	6300/-			

	Access Point	<ul style="list-style-type: none"> • Supports multiple operation modes: Access Point, Multi-SSID, Client, Universal/WDS Repeater, Bridge with AP • Easily setup a WPA encrypted secure connection at a push of the WPS button • Up to 30 meters (100 feet) of flexible deployment with included Passive Power over Ethernet Injector 					
8	Access point (LINKSYS WAP300N N300 DUAL)	<ul style="list-style-type: none"> • 4-in-1 product to customize your wireless expansion • Up to N300 Mbps speed* • Selectable dual band • 1 Fast Ethernet 10/100 port • Two antennas for expanded wireless coverage 	Per Set	9890/- (Linksys, wap300N)	NQ	9300/- (Tlink)	
9	Router(Cisco Catalyst 3750X Stackable 24-Port Switch) (Includes installation and configuration)	<ul style="list-style-type: none"> • 24 and 48 10/100/1000 PoE+, non-PoE models, and 12 and 24 GE SFP port models • 24 and 48 10/100/1000 UPOE-capable models with Energy Efficient Ethernet (EEE) support • Four optional uplink network modules with GE or 10GE ports • Industry first PoE+ with 30W power on all ports in 1 rack unit (RU) form factor • Dual redundant, modular power supplies and fans 	Per Set	298,490/- (Cisco 3750x)	NQ	NQ	

		<ul style="list-style-type: none"> • Media Access Control Security (MACsec) hardware-based encryption • Flexible NetFlow and switch-to-switch hardware encryption with the Service Module uplink • Open Shortest Path First (OSPF) for routed access in IP Base image • IPv4 and IPv6 routing, Multicast routing, advanced quality of service (QoS), and security features in hardware • Enhanced limited lifetime warranty (LLW) with next business day (NBD) advance hardware replacement and 90 day access to Cisco Technical Assistance Center (TAC) support • Enhanced Cisco EnergyWise for operational cost optimization by measuring actual power consumption of the PoE devices, reporting, and reducing energy consumption across the network • USB Type-A and Type-B ports for storage and console respectively and an out-of-band Ethernet management port 							
10	Cisco RV320 Dual Gigabit WAN VPN	<ul style="list-style-type: none"> • Dual WAN: Dual Gigabit Ethernet Ports, Failover, Load balancing • Standards: 802.3, 802.3u, IPv4 (RFC 791), IPv6 (RFC 2460) 	Per Set	43,490/- (Cisco Rv320)	NQ	NQ			


[Signature]

[Signature]

[Signature]





Router

<ul style="list-style-type: none">• WAN connectivity: Dynamic Host Configuration Protocol (DHCP) server, DHCP client, DHCP relay agent, Static IP, Point-to-Point Protocol over Ethernet (PPPoE), Point-to-Point Tunneling Protocol (PPTP), IPv6, DNS relay, Dynamic DNS (DynDNS.org, 3322.org), DNS local database
<ul style="list-style-type: none">• Routing protocols: Routing Information Protocol (RIP) v1 and v2, and RIP for IPv6 (RIPng), Inter-VLAN routing, Static routing, VLANs supported: 7
<ul style="list-style-type: none">• Network Address Translation (NAT): Port Address Translation (PAT), One-to-one NAT, NAT traversal
<ul style="list-style-type: none">• Protocol binding: Protocols can be bound to a specific WAN port for load-balancing purposes
<ul style="list-style-type: none">• Network edge (DMZ): DMZ port, DMZ host
<ul style="list-style-type: none">• Dual USB 2.0 ports: Storage and 3G/4G modem support
<ul style="list-style-type: none">• Firewall: SPI firewall, Denial-of-service (DoS) prevention: ping of death, SYN flood, IP spoofing, WinNuke
<ul style="list-style-type: none">• Access rules: Schedule-based access rules, Up to 50 entries




[Handwritten signatures and initials in blue ink]

		<ul style="list-style-type: none">• VLAN: 802.1Q VLAN, 7 VLANs supported• SSL VPN: 10 SSL VPN tunnels for remote client access• PPTP: 10 PPTP tunnels for remote access• VPN pass-through: PPTP, Layer 2 Tunneling Protocol (L2TP), Ipsec• Advanced VPN: Dead peer detection (DPD), Split DNS, VPN backup, Internet Key Exchange (IKE) with certificate• IPsec VPN throughput: 100 Mbps• SSL VPN throughput: 20 Mbps• Concurrent connections: 20,000					
11	Projector	<ul style="list-style-type: none">• Projection System: 3LCD Technology• LCD Panel: 0.55 inch with D7• Colour Light Output: 3,200 Lumen-2,240 Lumen• Resolution: SVGA, 800 x 600, 4:3• Aspect Ratio: 4:3• Contrast Ratio: 15,000 : 1• Lamp: 200 W, 5,000 h durability, 10,000 h durability• Projection Ratio: 1.45 - 1.96:1• USB Display Function: 3 in 1: Image / Mouse / Sound• USB 2.0 Type A, USB 2.0 Type B, Wireless LAN IEEE 802.11b/g/n (optional), VGA in, HDMI in	Per Set	34,490/- *(Epson EB E01)	31,999/- (Epson)	33,100/-	









		<ul style="list-style-type: none"> • Carrying bag, VGA cable, Main unit, Power cable, Remote control incl. batteries, USB cable, User's Manual Set, Warranty Documents 							
12	Projector Screen (Auto)	<ul style="list-style-type: none"> • Projector Screen Motorized 8 * 6 	Per Set	19,490/- (Liberling)	76,000/-	32,000/-			
13	Projector Mounting kits	<ul style="list-style-type: none"> • Projector Mounting kits (Universal) • Lumen 5000, Infocus IN122, Infocus IN2116, Dell 4320 	Per Set	4890/- (Liberling)	4800/-	3100/- 3100/-			
14	Network tool kits	<ul style="list-style-type: none"> • IT-NETTEST Remote Network Tester • IT-CRIMP Modular Crimp Tool • IT-STRIP-ECO Economy UTP Stripper • NQP-TEL-6090 110 Impact Pro Punch Down Tool w/ Two Blades • 30 pieces of RJ-11, RJ-45 Plugs and Boots • Zippered black carrying case with handle 	Per Set	1890/- (iball)	NQ	NQ			
				2490/- (D-link)	NQ	NQ			
				849/- (Taparia)	NQ	NQ			
				1890/- (iball)	NQ	33,400/-			
				379/- (D-link)	NQ	NQ			
				NQ	NQ	NQ			
15	Server	<ul style="list-style-type: none"> • Rack Mount Server (2.5" Chassis with upto 8 Hot Plug Hard Drives) • Intel Xeon E5-2620 V3 2.4GHz, 15M Cache, 8.0GT/s QPI, Turbo, HT, 6C, Max Mem 1866MHz • 2 x 8GB RDIMM, 2133 MT/s, Dual Rank, x4 Data Width Memory • 2 x 300GB 15K RPM SAS 12 Gbps 2.5in Hot-Plug Hard Drive 	Per Set	298,490/- (Dell Poweredge R430)	NQ	NQ			











		<ul style="list-style-type: none"> • 6 x 1.2TB 10 RPM SAS 12 Gbps 2.5in Hot-Plug Hard Drive • Fully featured Remote Access Port • Raid Controller Card with 1GB cache, Raid Level 0, 1, 5, 6; Raid Span 10, 50, 60 support • DVD-RW internal • Dual PSU • On Board Dual 1G Network Ports • Server Mangement Softwares and Drivers Disk • Preinstalled Windows Server 2008 R2, Installed Linux, Centos • Onsite Installation and Configuration Charges as per clients requirement 						
16	UTP cable (Out door)	<ul style="list-style-type: none"> • Diglink G600 Cat 6 Copper STP solid cables ,305 m 	Per Mtr.	18,490/- (segeotech)	28000/-	80/-		
17	Media Converter	<ul style="list-style-type: none"> • Connector Types: 1x Fiber Optic SC Female • 1 x RJ45 Female • General Specifications: Supports CAT 5e and CAT6e Ethernet cables • Multiple Transmit speed: 10/100Mbps • Transmit Fiber: Single-Mode-8.3/125,8.7/125 or 10/125um • Included in package: 1 –Media Converter 	Per set	5490/- (segeotech)	NQ	4100/-		
18	Fiber Optic cable	<ul style="list-style-type: none"> • Brand Name: KNC 6 core fiber optic cable 	Per set	NQ	NQ	NQ		

	<div><div><div><div><div>· Model Number: 6 core fiber optic cable</div><div>· Number of conductors:> 10</div><div>· Product Name: 16 core fiber optic cable</div><div>· Installations: By duct, Aerial, direct burial</div><div>· Certificates: ISO:9001, UL, RoHS, CE</div><div>· Outer Jackets: PE,HDPE,PVC, LSZH</div><div>· Fiber Cores: 1 ~ 144</div><div>· Sheaths: Armored or Kevlar</div><div>· Fiber Types: G. 652, G. 652D, G.651.1</div><div>· Modes: Single Mode: MultiMode</div><div>· Strength Members: FRP,Steel wire tubes: Loose tube, Tight buffer</div></div></div><div><div>· Quick Heal Total Security Admin Console</div><div>· 90 users</div><div>· License</div><div>· All new updates can be downloaded for free from internet</div><div>· Up gradation to new version should be will be free</div><div>· Period or 1 and 3 years</div></div></div></div>					
19	Anti virus (Includes installation and configuration)	Per package	194,390/- (Quick heal total)	135,000/-	162,000/-	
20	CAT 6E cable	Per Mtr.	38/- (Digilink)	NQ	30/-	

21	RJ45	· Insulation: HDPE (CMI-75E)Nominal Wall Thickness: 0.178mm	Per No.	12/- (Digilink)	NQ	12/-		
		Min. Thickness: 0.153mm						
		· Color Code: Pair 1: Blue & White/Blue						
		Pair 2: Orange & White/Orange						
		Pair 3: Green & White/Green						
		Pair 4: Brown & White/Brown						
		· Jacket (Grey): 75°C LSZH						
		Compound Nominal Wall Thickness: 0.585mm						
		Min. Thickness: 0.458mm						
		Overall Diameter: 5.8mm ± 0.3mm						
	• RJ45	· Electric Requirements: Cable length: 100m)Characteristic Impedance(Zo): 85~115Ω (1~250 MHz)						





22	Dell laptop charger	<ul style="list-style-type: none"> Dell vostro 3500, Dell vostro 3460, Dell vostro 3550, Dell Inspiron 3421, Dell Latitude E5500, Acer Aspire E1-471, Dell Inspiron 15 3000 series, Dell Precision M4500, Dell Latitude E5400, Dell Latitude E6540, Dell Latitude E5200, Lenovo Yoga 3, Dell Inspiron N4030, Samsung AITV, Dell XPS, Toshiba, Mac book, Lenovo U41, Dell inspiron 23, Dell XPS 27, lenovo ideapad 500s, Dell Inspiron 14 5000 series, Dell Latitude E5440 	Per Pcs.	2890/- (Dell)	NQ	2850/-		
23	Laptop battery	<ul style="list-style-type: none"> Dell vostro 3500, Dell vostro 3460, Dell vostro 3550, Dell Inspiron 3421, Dell Latitude E5500, Acer Aspire E1-471, Dell Inspiron 15 3000 series, Dell Precision M4500, Dell Latitude E5400, Dell Latitude E6540, Dell Latitude E5200, Lenovo Yoga 3, Dell Inspiron N4030, Samsung AITV, Dell XPS, Toshiba, Mac book, Lenovo U41, Lenovo ideapad 500s, Dell Inspiron 14 5000 series, Dell Latitude E5440, 	Per Pcs.	5890/- (Dell)	5800/-	4430/-		
24	Presenter	<ul style="list-style-type: none"> Logitech Wireless Presenter R400 	Per Pcs.	5600/- (Logitech)	6400/-	5200/-		
25	T/P basic telephone	<ul style="list-style-type: none"> Model: CT-TF232 Brand: Cheeta 	Per Pcs.	1180/- (Panasonic)	NQ	7500/-		





26	stabilizer	A.C VOLTAGE REGULATOR MODEL NO: AVR-1500W SERVO MOTOR TYPE: Input voltage: AC80V-130V /160V-250V It has high precision 3 second/3 minutes time-delay function. Output voltage AC220V/110V+2% It has over-load indication protection function	Per pcs	3890/- (Cassio)	NQ	6500/-		
27	Back up battery APC SMC1500 1440VA 900W UPS	900 Watts /1440 VA International Version: 120V Input Voltage Range: 93 - 130V Adjustable range: 85 - 136V Battery Recharge Time: 3 hour(s) Battery Replaceable: RBC6 Alarms: Alarm when on battery : distinctive low battery alarm : configurable delays Interface Port: USB Surge Energy Rating Package Contents: APC Smart-UPS SMC1500 CD with software Documentation CD USB cable	Per pcs	23,490/- (APC 1500VA)	NQ	65,000/-		
28	Image Drum	Printer HP Laserjet CP1025nw:	Per Set	24,890/-	NQ	5500/- <i>Canon</i>		


	Printer Hp Laserjet CP6015dn: CB386A, CB385A, CB387A, CB384A		98490/-	NQ	20,000/- Canon		
	Printer Epson stylus photo R3000:		NQ	NQ	NQ		
	Printer Epson stylus Pro R3880:		NQ	NQ	NQ		
	HP Designjet T770 (Plotter):		NQ	NQ	NQ		
29	VGA cable	• 30 m • 40 m	Per Mtr.	379/- 379/-	4800/- 6800/-	6900/- 7500/-	
30	VGA splitter (Should connect 4 projector using just one laptop)	• Supports over 1600x1280 • Duplicates VGA signal to 4 outputs for Multi-Monitors • Industrial / Automotive Grade • VGA Splitter • AC Adaptor • Cigarette Lighter Car Adaptor • 11~24Volt DC Input	Per set	9890/-	NQ	3400/-	
31	Dell XPS 27 (Wireless mouse & wireless key board)	• Dell Premier Wireless Keyboard and Mouse - KM717 • Dell Wireless 3165 802.11AC Wi-Fi + BT 4.0 Wireless Card	Per Pcs.	2990/- (Dell)	NQ	4200/-	
32	USB mouse	• Windows Vista® or Windows® 7, Windows 8, Windows 10 • Mac OS® X 10.3.9 or later, USB port • Package Contents: Logitech® B100 Optical USB Mouse	Per Pcs	289/- (Clarion)	590/-	510/-	

		<ul style="list-style-type: none"> • Technical Specifications: Corded mouse, 3 buttons, USB connectivity, Optical tracking, 800 dpi resolution, Cable: 5-ft 9-in (180 cm) approx, Works with Windows Vista®, Windows® 7, Windows 8, Windows 10 					
33	Wireless mouse	<ul style="list-style-type: none"> • Windows Vista®, Windows® 7, Windows 8, Windows 10 • Mac OS® X 10.5 or later • Package Contents: Mouse, Nano receiver, 1 AA battery (pre-installed) • Technical Specifications: Mouse Dimensions (height x width x depth): 2.36 in (60 mm) x 3.89 in (99 mm) x 1.54 in (39 mm) • Sensor technology: Advanced Optical Tracking • Sensor Resolution: 1000 • Number of buttons: 3 • Scroll Wheel (Y/N): Yes • Battery life: 12-month battery life* • Battery type: 1 AA battery • Wireless operating distance: Approx 10m* • Wireless technology: Advanced 2.4 GHz wireless connectivity • Supported OS: Windows Vista, Windows 7, Windows 8, Windows 10, Mac OS X 10.5 or later 	Per Pcs	949/- (lapcave)	780/-	1200/-	





34	Maintenance							
	<ul style="list-style-type: none"> • Dell vostro 3500, Dell vostro 3460, Dell vostro 3550, Dell Inspiron 3421, Dell Latitude E5500, Acer Aspire E1-471, Dell Inspiron 15 3000 series, Dell Precision M4500, Dell Latitude E5400, Dell Latitude E6540, Dell Latitude E5200, Lenovo Yoga 3, Dell Inspiron N4030, Samsung AITV, Dell XPS, Toshiba, Mac book, Lenovo U41, Dell inspiron 23, Dell XPS 27, lenovo ideapad 500s, Dell Inspiron 14 5000 series, Dell Latitude E5440 	Per Pcs	NQ	NQ	NQ	1500/-		
	<ul style="list-style-type: none"> Desktop: Dell Optiplex 330, Dell Optiplex 360, Acer, Dell Optiplex 170L, Hp Elite/ HPdvd 1260, Lenovo, Dell Vostor 220s, Dell Precision T7500 (Work Station), Dell Inspiron 660s, Dell Inspiron 23, Dell XPS 27, Workstation Dell Precision tower 7910 	Per Pcs	NQ	NQ	NQ	1500/-		



• Printer: Hp Laserjet 3005n, HP Laserjet 1320, Hp Laserjet 1006, Panasonic KX- MB772, SHARP AR-M201, Hp Laserjet 2055dn, HP laserjet M1213n, Hp laserjet CP6015dn (Color), Hp Laserjet CP1025nw (Color), Epson Stylus Photo R3000, Xerox workstation 5755, Sharp AR-5726, WC 5755, Sharp AR 3726, Hp Laserjet 3005n	Per Pes	NQ	NQ	2000/-		
• Scanner: Hp Scanjet G2410, Epson Perfection 1640SU, HP Scanjet G3010	Per Pes	NQ	NQ	2000/-		
• Projector: NEC NP510, Infocus IN2116, EspoN EMP S5, Lumen 5000, Infocus IN122	Per Pes	NQ	NQ	2500/-		
• Lamination: Gobbler GML-30	Per Pes	NQ	NQ	1000/-		
• Fax: Panasonic KX-FP107	Per Pes	NQ	NQ	1000/-		
• Server: Dell power edge 2950	Per Pes	NQ	NQ	20,000/-		
• Server: Dell power edge r530	Per Pes	NQ	NQ	20,000/-		
• Server: System X3100 M4	Per Pes	NQ	NQ	20,000/-		

